



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D350-636-012
Job Sheet 198539



Part No: D350-636-012

Job Qty: 1 pcs

Part Name: Skidtube RH, Std Wearplates, DART (Apical) Cylindrical/Aerazur Float Comp.



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 7/30/19

Job Tracking No:

Created By: Marie Lajeunesse

Due Date: 8/30/19

Description:

Note: DWG D2750-042 REV.H IPP Rev:I 02.09.25 IPP Rev:J 06-03-23 As per Rev D IPP Rev:K 06-07.13 As per
dsi9343 IPP Rev:L 07-07-28 Added SS Wearplates(Rev E) JLM Verf:EC IPP Rev:M 08-04-22 DD verified:EC
IPP Rev:N 08-09-23 revF DD verified:ec IPP Rev:O 09-02-06 per PAR09-010 DD verf:EC IPP Rev:P 10.06.22
revise seq110 DD verf:EC IPP Rev:Q 10.10.01 as per IIN revH DDverf:EC IPP REV:R 13.08.27 PER ECN13-
594 DD VERF:JLM IPP REV:S 18.11.12 AS PER DWG REV.H DD VERF:JFS

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard Setup Hrs	Run Hrs	Workcenter/Supplier	Lead Time	Sign-off
110	Skidtubes - 1	1 pcs		8/30/19	0.00	4.36	Skidtubes - 1		DD
							Skidtubes - 2		
							Skidtubes - 3		
							Skidtubes - 4		
							Skidtubes - 5		BE
							Skidtubes - 6		
							Skidtubes - 7		
120	QC 10	1 pcs		8/30/19	0.00	0.00	QC 10 - 10		
							QC 10 - 18		
							QC 10 - 24		
							QC 10 - 43		
							QC 10 - 50		AUG 08 2019
							QC 10 - 58		9-89
							QC 10 - 9		
130	QC 5	1 pcs		8/30/19	0.00	0.00	QC 5 - 10		
							QC 5 - 12		
							QC 5 - 17		
							QC 5 - 18		
							QC 5 - 19		
							QC 5 - 22		
							QC 5 - 24		
							QC 5 - 3		
							QC 5 - 43		
							QC 5 - 49		
							QC 5 - 51		
							QC 5 - 58		DAS
							QC 5 - 68		AUG 08 2019
							QC 5 - 9		9-89



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 813 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S203137



Part: D350-636-012

Job No: 198539

Serial No/Batch: S203137

Revision: H

Inspector:

Exp Date:

Instructions: FAA STC SR00646SE 19/04/17/TA STC SHI

140 Handfinish - 1-1 Chemical-B4B	1 pcs	8/30/19	0.00 0.91	QC 5 - 50	
				QC 5 - 30	
				QC 5 - 40	
				QC 5 - 61	
				QC 5 - 81	
				Handfinish - 1 - 1 - B4B	
				Handfinish - 1 - 2 - B4B	
				Handfinish - 1 - 3 - B4B	
				Handfinish - 1 - 4 - B4B	
				Handfinish - 1 - 5 - B4B	
				Handfinish - 1 - 6 - B4B	
				Handfinish - 1 - 7 - B4B	
				Handfinish - 1 - 8 - B4B	
				Handfinish - 1 - 9 - B4B	
				Handfinish - 1 - 10 - B4B	
				Handfinish - 1 - 11 - B4B	
				Handfinish - 1 - 12 - B4B	
				Handfinish - 1 - 13 - B4B	
				Handfinish - 1 - 14 - B4B	
				Handfinish - 1 - 15 - B4B	
				Handfinish - 1 - 16 - B4B	
				Handfinish - 1 - 17 - B4B	
				Handfinish - 1 - 18 - B4B	
				Handfinish - 1 - 19 - B4B	
				Handfinish - 1 - 20 - B4B	
				Handfinish - 1 - 21 - B4B	
				Handfinish - 1 - 22 - B4B	
150 QC 7	1 pcs	8/30/19	0.00 0.00	QC 7 - 10	
				QC 7 - 13	
				QC 7 - 14	
				QC 7 - 15	
				QC 7 - 17	
				QC 7 - 18	
				QC 7 - 19	
				QC 7 - 2	
				QC 7 - 28	
				QC 7 - 3	
				QC 7 - 30	
				QC 7 - 34	
				QC 7 - 36	
				QC 7 - 37	
				QC 7 - 41	
				QC 7 - 47	
				QC 7 - 48	
				QC 7 - 51	
				QC 7 - 58	
				QC 7 - 59	
				QC 7 - 60	

AUG 09 2019

BE

					QC 7 - 9	
					QC 7 - 68	
					QC 7 - 50	
					QC 7 - 67	
					QC 7 - 40	
					QC 7 - 24	
					QC 7 - 43	
					QC 7 - 61	
					QC 7 - 81	
160 Skidtubes - 2 - B4B	1 pcs	8/30/19	0.00 4.36		Skidtubes - 1 - B4B	DD
					Skidtubes - 2 - B4B	
					Skidtubes - 3 - B4B	
					Skidtubes - 4 - B4B	TF
					Skidtubes - 5 - B4B	BE
					Skidtubes - 6 - B4B	
					Skidtubes - 7 - B4B	
170 QC 10	1 pcs	8/30/19	0.00 0.00		QC 10 - 10	
					QC 10 - 18	
					QC 10 - 24	
					QC 10 - 43	
					QC 10 - 50	Q
					QC 10 - 58	
					QC 10 - 9	
180 QC 5	1 pcs	8/30/19	0.00 0.00		QC 5 - 10	
					QC 5 - 12	
					QC 5 - 17	
					QC 5 - 18	
					QC 5 - 19	
					QC 5 - 22	
					QC 5 - 24	
					QC 5 - 3	
					QC 5 - 43	
					QC 5 - 49	
					QC 5 - 51	
					QC 5 - 58	
					QC 5 - 68	
					QC 5 - 9	
					QC 5 - 50	EL
					QC 5 - 30	
					QC 5 - 40	
					QC 5 - 61	
					QC 5 - 81	
190 Handfinish - 2-1 Pressure-B4B	1 pcs	8/30/19	0.00 0.91		Handfinish - 2 - 1 - B4B	SEP 10 2019
					Handfinish - 2 - 2 - B4B	
					Handfinish - 2 - 3 - B4B	
					Handfinish - 2 - 4 - B4B	
200 Spray Paint - 2 - B4B	1 pcs	8/30/19	0.00 0.69		Spray Paint - 1 - B4B	
					Spray Paint - 2 - B4B	RD 19-9-11
					Spray Paint - 3 - B4B	
					Spray Paint - 4 - B4B	
205 Outsource	1 pcs	8/30/19			ATE003-VC	5
210 QC 14	1 pcs	8/30/19	0.00 0.00		QC 14 - 15	W 19-9-12
					QC 14 - 2	
					QC 14 - 34	
					QC 14 - 41	
					QC 14 - 51	
					QC 14 - 58	
					QC 14 - 59	

					QC 14 - 9	
					QC 14 - 68	
					QC 14 - 40	
					QC 14 - 19	
					QC 14 - 43	
					QC 14 - 24	
					QC 14 - 61	
					QC 14 - 81	
230 Handfinish - 4-1-Assembly-B4B	1 pcs	8/30/19	0.00 0.91	Handfinish - 4 - 1 - B4B		RI 14-9-20
				Handfinish - 4 - 10 - B4B		
				Handfinish - 4 - 11 - B4B		
				Handfinish - 4 - 12 - B4B		
				Handfinish - 4 - 13 - B4B		
				Handfinish - 4 - 14 - B4B		
				Handfinish - 4 - 15 - B4B		
				Handfinish - 4 - 2 - B4B		
				Handfinish - 4 - 3 - B4B		
				Handfinish - 4 - 4 - B4B		
				Handfinish - 4 - 5 - B4B		
				Handfinish - 4 - 6 - B4B		
				Handfinish - 4 - 7 - B4B		
				Handfinish - 4 - 8 - B4B		
				Handfinish - 4 - 9 - B4B		
240 QC 5	1 pcs	8/30/19	0.00 0.00	QC 5 - 10		
				QC 5 - 12		
				QC 5 - 17		
				QC 5 - 18		
				QC 5 - 19		
				QC 5 - 22		
				QC 5 - 24		
				QC 5 - 3		
				QC 5 - 43		
				QC 5 - 49		
				QC 5 - 51		
				QC 5 - 58		
				QC 5 - 68		
				QC 5 - 9		
				QC 5 - 50		
				QC 5 - 30		
				QC 5 - 40		SEP 2 0 2019 40
				QC 5 - 61		9-89
				QC 5 - 81		
250 Packaging 1-1 - Pick Kit - B4B	1 pcs	8/30/19	0.00 0.00	Packaging 1 - 1 - B4B		
				Packaging 1 - 2 - B4B		
				Packaging 1 - 3 - B4B		
				Packaging 1 - 4 - B4B		
				Packaging 1 - 5 - B4B		
				Packaging 1 - 6 - B4B		
				Packaging 1 - 7 - B4B		
				Packaging 1 - 8 - B4B		
				Packaging 1 - 9 - B4B		
				Packaging 1 - 10 - B4B		
				Packaging 1 - 11 - B4B		
				Packaging 1 - 12 - B4B		

				Packaging 1 - 13 - B4B	
				Packaging 1 - 14 - B4B	
				Packaging 1 - 15 - B4B	
				Packaging 1 - 16 - B4B	
				Packaging 1 - 17 - B4B	
				Packaging 1 - 18 - B4B	
				Packaging 1 - 19 - B4B	
				Packaging 1 - 20 - B4B	
				Packaging 1 - 21 - B4B	
				Packaging 1 - 22 - B4B	
				Packaging 1 - 23 - B4B	
				Packaging 1 - 24 - B4B	
				Packaging 1 - 25 - B4B	
				Packaging 1 - 26 - B4B	
				Packaging 1 - 27 - B4B	
				Packaging 1 - 28 - B4B	
				Packaging 1 - 29 - B4B	
				Packaging 1 - 30 - B4B	
				Packaging 1 - 31 - B4B	
				Packaging 1 - 32 - B4B	
				Packaging 1 - 33 - B4B	
				Packaging 1 - 34 - B4B	
				Packaging 1 - 35 - B4B	
				Packaging 1 - 36 - B4B	
260 QC 4	1 pcs	8/30/19	0.00 0.00	QC 4 - 28	
				QC 4 - 58	
				QC 4 - 69	
				QC 4 - 9	
				QC 4 - 46	
				QC 4 - 68	
				QC 4 - 72	
				QC 4 - 74	
270 Packaging 3-1 - Stock - B4B	1 pcs	8/30/19	0.00 0.00	QC 4 - 75	
				Packaging 3 - 1 - B4B	
				Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
				Packaging 3 - 6 - B4B	
				Packaging 3 - 7 - B4B	
				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	
				Packaging 3 - 16 - B4B	
				Packaging 3 - 17 - B4B	
				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	

MaxB.

9/23/
2019

MaxB.

9/23/
2019

				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
275 DC - 1 - B4B	1	8/30/19	0.00 0.00	DC - 1 - B4B	
	pcs			DC - 2 - B4B	SEP 23 2019
280 QC 21 - FG	1	8/30/19	0.00 0.00	QC 21 - FG - 21	SEP 23 2019
	pcs			QC 21 - FG - 70	DAS 70
				QC 21 - FG - 53	9-89

Part Op 110 - (Skidtubes) 1- Pick D2600-3 Bent Drill pilot holes as per Dwg D2750 sheet 4 (D2750-2 details). Drill using drill Jig
 Descriptions: DT8150 & DT8863A for second side only DT8863B for first side (detail K) 4- Locate DT8329 off of blade fitting bolt holes
 and drill pilot holes for blade fitting. Open to 0.500" using hole saw. VERIFY AND RECORD FWD BEND ANGLE. 6- Drill
 pilot holes for wearplates as per Dwg D2750 using DT8108 open to 0.297". 7- Open up holes of Detail J to 0.297" (total of
 2 holes per side) 8- Weld D2744 Cap as per Dwg D2750 and QSI 004. Fill grooves in bend left from bending as per QSI
 004 9- Grind welds flush as per Dwg D2750 A/R B90 11
 120 - (QC10- Inspect visual per QSI004- ground welds)
 130 - (QC5- Inspect part completeness to step on W/O)
 140 - (Chemical Conversion Coat per QSI005 4.1)
 150 - (QC7-Inspect Chemical Conversion Coat)
 160 - (Skidtubes) 1- Open up holes of Detail L using hole saw and ground handling to 0.625" (total of 8 holes per side) as
 per dwg D2750. 2- Open up holes of Detail K using hole saw to 0.750" (total of 4 holes per side) as per dwg D2750. 3-
 Open float holes using uni-bit to .500" (4 per Side) 4- Chamfer holes of Detail K, L, ground handling and float holes per
 dwg D2750 (welding instructions on sheet 9) 5- Deburr and blow out all chips from inside of tube 6- Prepare tube for
 welding, remove alodine as required. 7- Bond web D2739 in place as per QSI 015, let cure for 12hrs. A/R Sikaflex-291
 batch: 5174342 exp. date: 12/08/2019 ***ATTN: USE I-BEAM LOCATION AID (BLADE FITTING)*** 8- Weld spacers
 D3490-1, D3490-3 and D2743 as per dwg D2750 & QSI004 (welding instructions on sheet 9) A/R Aluminum Rod
 batch: 139011 9- At section AP-AP drill out x-bolt spacer to 0.404" 10-Grind welds flush as per Dwg D2750 11- Spot
 face ground handling holes section (total of 4 places per side) as per dwg D2750 12- Deburr holes, ensure tube is free of
 all scratches before sending to paint.
 170 - (QC10- Inspect visual per QSI004- ground welds)
 180 - (QC5- Inspect part completeness to step on W/O) ***VERIFY C'BOARD IS GOOD***
 190 - (Pressure Wash per QSI005 4.3/ Clean and remove all markings) Re-alodine tube as per QSI 005 section 4.1.2.1 do
 not acid etch.
 200 - (Spray Paint / NDT Room) 1- PRIME AS PER DWG AND QSI 005 4.2 PRIMER PRC DESOTO 515X349
 BATCH: 5200249 2- PAINT WHITE AS PER DWG AND QSI 005 4.2 PAINT BATCH: 5204403
 210 - (QC14- Inspect Spray Paint) Inspect for foreign object per QSI 024
 230 - (Assemble as per dwg) 1-Install inserts as per dwg D2750 2-Inspect for Foreign Objects 3-Install blade fitting
 D3488-042, wearshoes and ground handling hardware as per dwg D2750 SIKAFLEX 241 BATCH: 5206661 EXP
 DATE: 20-7-12 4-assemble o'ring to plug as per dwg D3492 and apply o'ring lube A/R 55-o'ring lube
 batch: 11038247 5-Coat all exposed fasteners with "LPS Procyon" batch: 11038247
 240 - (QC5- Inspect part completeness to step on W/O)
 250 - (Pick Kit)
 260 - (QC4- 100% Inspect kits for completeness)
 270 - (Identify as per dwg & Stock Location: _____) Package as per PPP D350-636-012
 275 - (Document Control) record fwd angle: _____ Photocopy blue file and type labels per PPP D350-636-012
 CHG 008
 280 - (QC21- Final Inspection - Work Order Release)

Job BOM					011876
Part / Item	Component Name	Quantity	Operation	Container	
D2600-3-BENT-RH	Extrusion Bent RH	1 pcs (1 ea)	110-Skidtubes - 1		5197882
D2744	Cap	1 pcs (1 ea)	110-Skidtubes - 1		5192776
D2739	350 I-Beam	1 pcs (1 ea)	160-Skidtubes - 2 - B4B		5193743
D2743	Crossbolt Spacer	8 pcs (8 ea)	160-Skidtubes - 2 - B4B		5194032
D3490-1	Cross Bolt Spacer	4 pcs (4 ea)	160-Skidtubes - 2 - B4B		5186298
D3490-3	Cross Bolt Spacer	4 pcs (4 ea)	160-Skidtubes - 2 - B4B		5188617
ALS4-1032-225	Rivnut	38 Ea (38 ea)	230-Handfinish - 4-1-Assembly-B4B		5192155
AN3C5A	Bolt 5207570 (46)	34 Ea (34 ea)	230-Handfinish - 4-1-Assembly-B4B		5203283 X19
AN3C6A	Bolt	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B		5167183
AN6C44A	Bolt	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B		5160263
AN8C35A	Bolt	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B		5167090
D2745	Bushing	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B		5206359
D3488-4	Blade Fitting, RH	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B		5185281
D3492-1	Plug	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B		5184405
D3492-3	Plug	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B		5205435
D3537-1	Wearpad	3 pcs (3 ea)	230-Handfinish - 4-1-Assembly-B4B		5204500
D3631-1	Washer	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B		5184422
D3791-1	Wearpad	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B		5201871
D3793-1	Wearplate Fwd	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B		5208541
D3793-3	Wearplate Aft	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B		5202002
MS21043-6	Nut	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B		5166168
MS21083C8	Nut	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B		5167203
NAS1149C0332R	Washer (AN960C10L)	38 Ea (38 ea)	230-Handfinish - 4-1-Assembly-B4B		5193136
NAS1149C0832R	Washer (AN960C816L)	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B		5076017-7
NAS1515H3L	Washer	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B		5214921
NAS1611-010	O-Ring	8 Ea (8 ea)	230-Handfinish - 4-1-Assembly-B4B		5087659
NAS1611-013	O-Ring	8 Ea (8 ea)	230-Handfinish - 4-1-Assembly-B4B		5170276
D3793-5	Wearpad	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B		5201918
AN8C21A	Bolt	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B		5184404
D2741	Replacement Blade	1 pcs (1 ea)	250-Packaging 1-1 - Pick Kit - B4B		5197663
D3493-1	Washer	2 pcs (2 ea)	250-Packaging 1-1 - Pick Kit - B4B		5199486
D3532-1	Spacer	2 pcs (2 ea)	250-Packaging 1-1 - Pick Kit - B4B		5163195
MS21083C8	Nut	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B		5167203
NAS1149D0863J	Washer	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B		5166788


012027

Job Allocations				
Operation	Component Part	Required	Inventory	Allocated
110-Skidtubes - 1	D2600-3-BENT-RH	1	5	0
	D2744	1	44	0
160-Skidtubes - 2 - B4B	D2739	1	7	0
	D2743	8	208	0
	D3490-1	4	133	0
	D3490-3	4	66	0
230-Handfinish - 4-1-Assembly-B4B	ALS4-1032-225	38	827	0
	AN3C5A	34	765	0
	AN3C6A	4	141	0
	AN6C44A	4	114	0
	AN8C35A	1	28	0
	D2745	8	48	0
	D3488-4	1	12	0
	D3492-1	8	51	0
	D3492-3	8	7	0
	D3537-1	3	51	0
	D3631-1	8	360	0
	D3791-1	1	3	0
	D3793-1	1	6	0
	D3793-3	1	0	0
	D3793-5	1	3	0
	MS21043-6	4	91	0
	MS21083C8	1	85	0
	NAS1149C0332R	38	3,724	0
	NAS1149C0832R	1	292	0
	NAS1515H3L	4	173	0
	NAS1611-010	8	203	0
	NAS1611-013	8	200	0
250-Packaging 1-1 - Pick Kit - B4B	AN8C21A	2	117	0
	D2741	1	52	0
	D3493-1	2	53	0
	D3532-1	2	39	0
	MS21083C8	2	85	0
	NAS1149D0863J	2	371	0
Part Specifications				
Specifications could not be found.				


Plex 7/30/19 1:55 PM Dart.lajeunesse.marie

1 2 3 4 5 6 7 8

D C B A



D2750-043 350 SKIDTUBE ASSEMBLY, LH



D2750-044 350 SKIDTUBE ASSEMBLY, RH

RELEASED
2018 OCT 19

APPROVED

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN	ZF	EUGENE, OR	
CHECKED	MM	DRAWING NO.	REV. H
MFG. APPR.	DD	D2750	SHEET 3 OF 10
APPROVED	NO	TITLE	SCALE
DE APPR.	DS-1	350 SKIDTUBE ASSEMBLY	NTS
DATE	18.03.05		

THIS DRAWING IS THE PROPERTY OF DART AEROSPACE USA, INC. IT IS TO BE USED FOR THE PURPOSES OF THE CONTRACT ONLY AND IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE USA, INC.



**MAX ALLOWABLE
TWIST ON FWD BEND
(VIEW LOOKING FWD)**



DETAIL A
SCALE 2X



D5-5
DETAIL C
SCALE 2X



D3-5
DETAIL D
SCALE 2X



SECTION E-E
D5-5



SECTION F-F
SCALE 4X, 17 PL



B4-5
SECTION G-G



BZ-3
SECTION H-H
SCALE 4X, 4PL

APPROVED

DART AEROSPACE USA, INC.


WING NO.REV. H
SHEET 5 OF 18

SHEET 5 OF 18

- Y
NTS
SCALE


THE USA, INC.

MC




**MAX ALLOWABLE
TWIST ON FWD BEND
(VIEW LOOKING FWD)**


D2750-3 LH SKIDTUBE




D7-7
DETAILS
SCALE 2X




C5-7
DETAIL I
SCALE 2X




D3-7
DETAIL U
SCALE 2X



D4-7
SECTION V-V
SCALE 4X, 17 PL



B6-7
SECTION W-W
SCALE 4X, 4 PL










B4-7
SECTION X-X
SCALE 4X, 4 PL

DESIGN	MM	DART AEROSPACE USA, INC. EUGENE, OR	DRAWING NO. D2750	REV. H SHEET 7 OF 18
DRAWN	ZF			
CHECKED	MMW			
MFG. APPR.	DD			
APPROVED	NO			
DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS	DATE 18.03.05

APPROVED

DATE


20:08:07: 66: 150



2018 OCT 19 0
RELEASED

DESIGN	MM	DART AEROSPACE USA, INC.				
DRAWN	ZF	EUGENE, OR				
CHECKED	MM	DRAWING NO.	REV. H H			
MFG. APPR.	DD	D2750	SHEET 9 OF 18			
APPROVED	NO	TITLE	SCALE			
DE APPR.	DS	#	350 SKIDTUBE ASSEMBLY			
DATE	18.03.05	NTS				
COPYRIGHT © 1999 BY DART AEROSPACE USA, INC. ALL RIGHTS RESERVED. NO PART OF THIS PUBLICATION MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE USA, INC.						


COPYRIGHT © 1998 BY DART AEROSPACE USA, INC.
THE DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OUTSIDE OF THE SCOPE OF THE CONTRACT UNDER WHICH IT WAS PROVIDED. NO PART OF THIS DOCUMENT IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.



D2750-051 350 SKIDTUBE ASSEMBLY, LH



D8-15
DETAIL CG
SCALE 2X



RELEASED
2018 OCT 19 02

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD	NO	DS	DATE
DRAWN							
CHECKED							
MFG. APPL							
APPROVED							
DE APPL							
DATE							18.03.05

DESIGN	MM	ZF	MM	DD
--------	----	----	----	----

Entered: _____

Date: _____

WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____		DISPOSITION				DEPARTMENT/PROCESS																																																																																							
		Rework ☐ Scrap ☐ Use-as-is ☐				Skid-tube ☐ Machining ☐ Large Fab ☐		Cross tube ☐ Small Fab ☐ Finishing ☐		Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐		Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐																																																																																	
Date :		Sequence #:		QTY Affected :		MRB (QS1042)																																																																																							
Description Work Order Deviation						Disposition																																																																																							
Root Cause						FAULT CATEGORY																																																																																							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:20%;">Operator</td> <td>☐</td> </tr> <tr> <td>Manufacturing Process</td> <td>☐</td> </tr> <tr> <td>Equip/Tooling</td> <td>☐</td> </tr> <tr> <td>Handling/Preservation</td> <td>☐</td> </tr> <tr> <td>Material</td> <td>☐</td> </tr> <tr> <td>Product Improvement</td> <td>☐</td> </tr> <tr> <td>Process Improvement</td> <td>☐</td> </tr> <tr> <td>Human Factors</td> <td>☐</td> </tr> </table>						Operator	☐	Manufacturing Process	☐	Equip/Tooling	☐	Handling/Preservation	☐	Material	☐	Product Improvement	☐	Process Improvement	☐	Human Factors	☐	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:20%;">Pressure/Forced</td> <td>☐</td> </tr> <tr> <td>Bending</td> <td>☐</td> </tr> <tr> <td>Crushing</td> <td>☐</td> </tr> <tr> <td>Cracks</td> <td>☐</td> </tr> <tr> <td>Crimp/Kink/Ripple/Wave/Twist</td> <td>☐</td> </tr> <tr> <td>Marks/Chatter</td> <td>☐</td> </tr> <tr> <td>Mislabeled</td> <td>☐</td> </tr> <tr> <td colspan="2">Other/Details:</td> </tr> </table>						Pressure/Forced	☐	Bending	☐	Crushing	☐	Cracks	☐	Crimp/Kink/Ripple/Wave/Twist	☐	Marks/Chatter	☐	Mislabeled	☐	Other/Details:		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:20%;">Contamination</td> <td>☐</td> </tr> <tr> <td>Misaligned/off center</td> <td>☐</td> </tr> <tr> <td>BOM/Route</td> <td>☐</td> </tr> <tr> <td>Broken/Damage/Defect</td> <td>☐</td> </tr> <tr> <td>Incomplete/Unclear Instructions</td> <td>☐</td> </tr> <tr> <td>Drill Holes</td> <td>☐</td> </tr> <tr> <td>Fit/Function</td> <td>☐</td> </tr> </table>				Contamination	☐	Misaligned/off center	☐	BOM/Route	☐	Broken/Damage/Defect	☐	Incomplete/Unclear Instructions	☐	Drill Holes	☐	Fit/Function	☐	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:20%;">Power Loss/Surge</td> <td>☐</td> </tr> <tr> <td>Folio/Program</td> <td>☐</td> </tr> <tr> <td>Grain Direction</td> <td>☐</td> </tr> <tr> <td>Weld</td> <td>☐</td> </tr> <tr> <td>Wrong Stock Pulled</td> <td>☐</td> </tr> <tr> <td>Out of Sequence</td> <td>☐</td> </tr> <tr> <td>Off-set/Set-up</td> <td>☐</td> </tr> </table>				Power Loss/Surge	☐	Folio/Program	☐	Grain Direction	☐	Weld	☐	Wrong Stock Pulled	☐	Out of Sequence	☐	Off-set/Set-up	☐	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:20%;">Positioned Wrong</td> <td>☐</td> </tr> <tr> <td>Outside Tolerance</td> <td>☐</td> </tr> <tr> <td>Drawing</td> <td>☐</td> </tr> <tr> <td>Finish</td> <td>☐</td> </tr> <tr> <td>Part Lost/Missing</td> <td>☐</td> </tr> <tr> <td>Misread</td> <td>☐</td> </tr> </table>		Positioned Wrong	☐	Outside Tolerance	☐	Drawing	☐	Finish	☐	Part Lost/Missing	☐	Misread	☐
Operator	☐																																																																																												
Manufacturing Process	☐																																																																																												
Equip/Tooling	☐																																																																																												
Handling/Preservation	☐																																																																																												
Material	☐																																																																																												
Product Improvement	☐																																																																																												
Process Improvement	☐																																																																																												
Human Factors	☐																																																																																												
Pressure/Forced	☐																																																																																												
Bending	☐																																																																																												
Crushing	☐																																																																																												
Cracks	☐																																																																																												
Crimp/Kink/Ripple/Wave/Twist	☐																																																																																												
Marks/Chatter	☐																																																																																												
Mislabeled	☐																																																																																												
Other/Details:																																																																																													
Contamination	☐																																																																																												
Misaligned/off center	☐																																																																																												
BOM/Route	☐																																																																																												
Broken/Damage/Defect	☐																																																																																												
Incomplete/Unclear Instructions	☐																																																																																												
Drill Holes	☐																																																																																												
Fit/Function	☐																																																																																												
Power Loss/Surge	☐																																																																																												
Folio/Program	☐																																																																																												
Grain Direction	☐																																																																																												
Weld	☐																																																																																												
Wrong Stock Pulled	☐																																																																																												
Out of Sequence	☐																																																																																												
Off-set/Set-up	☐																																																																																												
Positioned Wrong	☐																																																																																												
Outside Tolerance	☐																																																																																												
Drawing	☐																																																																																												
Finish	☐																																																																																												
Part Lost/Missing	☐																																																																																												
Misread	☐																																																																																												
Completed By						Lead hand / Supervisor																																																																																							
QC / QA Coordinator						QC / QA Coordinator																																																																																							

5.0 PARTS LIST

D350-636-011/-012/-013/-014 SKIDTUBES AT CHG 008 AND SUBSEQUENT
D350-636-021/-022 SKIDTUBES AT CHG 001 AND SUBSEQUENT

Item	Qty -011	Qty -012	Qty -013	Qty -014	Qty -021	Qty -022	Qty -049	Part Number	Description
	X							D350-636-011	SKIDTUBE INSTALLATION, LH, AERAZUR/DART CYLINDRICAL FLOAT COMPATIBLE
		X						D350-636-012	SKIDTUBE INSTALLATION, RH, AERAZUR/DART CYLINDRICAL FLOAT COMPATIBLE
			X					D350-636-013	SKIDTUBE INSTALLATION, LH AIRCROUSER/DART TRI-BAG FLOAT COMPATIBLE
				X				D350-636-014	SKIDTUBE INSTALLATION, RH AIRCROUSER/DART TRI-BAG FLOAT COMPATIBLE
					X			D350-636-021	SKIDTUBE INSTALLATION, LH, STD
						X		D350-636-022	SKIDTUBE INSTALLATION, RH, STD
							X	D350-636-049	WEARSHOE KIT
1	1							D2750-041	SKIDTUBE ASSEMBLY, LH
1		1						D2750-042	SKIDTUBE ASSEMBLY, RH
1			1					D2750-043	SKIDTUBE ASSEMBLY, LH
1				1				D2750-044	SKIDTUBE ASSEMBLY, RH
1					1			D2750-051	SKIDTUBE ASSEMBLY, LH
1						1		D2750-052	SKIDTUBE ASSEMBLY, RH
*1	1							D2750-1	SKIDTUBE WELDMENT, LH
*1		1						D2750-2	SKIDTUBE WELDMENT, RH
*1			1					D2750-3	SKIDTUBE WELDMENT, LH
*1				1				D2750-4	SKIDTUBE WELDMENT, RH
1					1			D2750-5	SKIDTUBE WELDMENT, LH
1						1		D2750-6	SKIDTUBE WELDMENT, RH
**2	8	8	8	8	8	8		350A41-1027-20	SCREW
**3	8	8	8	8	8	8		23119AG120LE	WASHER
**4	8	8	8	8	8	8		22541N120	NUT
*5	1	1	1	1	1	1		AN8C35A	BOLT
*6A	1	1	1	1	1	1		NAS1149C0832R	WASHER
*7	1	1	1	1	1	1		MS21083C8	NUT
8	1		1		1			D3488-3	BLADE FITTING, LH
8		1		1		1		D3488-4	BLADE FITTING, RH
9	1	1	1	1	1	1		D2741	BLADE
10	2	2	2	2	2	2		AN8C21A	BOLT
11	2	2	2	2	2	2		NAS1149DO863J	WASHER
11C							8	D3672-1	WASHER
12	2	2	2	2	2	2		MS21083C8	NUT
*14	4	4	4	4	4	4		AN6C44A	BOLT
*15	8	8	8	8	8	8		D2745	BUSHING
*16	4	4	4	4	4	4		MS21043-6	NUT
*17	8	8	8	8	8	8		D3631-1	WASHER
*18	4	4	4	4	4	4		ALS4-1032-225	INSERT
*19	4	4	4	4	4	4		AN3C6A	BOLT
*20A	4	4	4	4	4	4		NAS1149C0332R	WASHER
*20B	4	4	4	4	4	4		NAS1515H3L	WASHER
*22	3	3	3	3	3	3	3	D3537-1	WEARPAD

• COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. •
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR
COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Revision: K
Date: 18.04.04

Item	Qty -011	Qty -012	Qty -013	Qty -014	Qty -021	Qty -022	Qty -049	Part Number	Description
*22A	1	1	1	1	1	1	1	D3791-1	WEARPLATE
*23A	1	1	1	1	1	1	1	D3793-1	WEARSHOE (REPLACES D3535-13)
*24A	1	1	1	1	1	1	1	D3793-5	WEARSHOE (REPLACES D3535-25)
*25A	1	1	1	1	1	1	1	D3793-3	WEARSHOE (REPLACES D3535-35)
*26A	34	34	34	34	34	34	34	AN3C5A	BOLT
*27	34	34	34	34	34	34	34	NAS1149C0332R	WASHER
*28	34	34	34	34	34	34	34	ALS4-1032-225	INSERT
*30	8	8	8	8				D3492-041	PLUG ASSEMBLY
*31	8	8						D3492-043	PLUG ASSEMBLY
*32			8	8				D3492-045	PLUG ASSEMBLY
***43	2	2	2	2				D3493-1	WASHER
50	2	2						D3532-1	SPACER
****97					1	1		AN3C34A	BOLT
****98					2	2		NAS1149C0363R	WASHER
****99					1	1		MS21043-3	NUT
100A							4	AN526C1032R10	SCREW
100B							4	AN526C1032R18	SCREW

- * PART OF D2750-041/-042, D2750-043/-044 OR D2750-051/-052 ASSEMBLY
- ** TO BE SUPPLIED BY CUSTOMER
- *** ONLY INSTALLED IF INSTALLING A DART FLOAT SYSTEM
- **** PART OF D2750-051 OR D2750-052 ASSEMBLY

Change Record

PAGE 1 OF 1

Part Number: D350-636-011/-011GB/-012/-012GB

Description: SKIDTUBE STD LH/RH, FLOAT COMPATIBLE

[illegible]